

Visit Name	Screening	Treatment preoperative	Preoperative	Discharge	Follow-up
Timepoint	<21 days before Randomisation	Week 1-5 At day 1 of each week	Within 1-3 weeks after end of neoadjuvant treatment	Day of Hospital Discharge from Surgery	Beginning in Week 26 Every 3/6 months (±14 days)
	(Vs)	(V)	(Vr)	(Vd)	(F1-x)
Informed consent	x				
Inclusion/Exclusion criteria	x				
Demography	x				
Medical history	x				
Vital signs (P, RR, T)	x	x	x		
Physical examination	x		x		x
Body Weight	x	x	x	x	x
ECOG performance score	x				
CT Thorax / Abdomen	x		x		x
Endoscopic Ultrasound	x				
Esophago-gastro-duodenoscopy	x		x		
Histo-Pathology (Report)	x			x	
Pathology (paraffine block)	x			x	
ECG	x		x		
Laboratory Haematology and Chemistry	x	x	x	x	
Laboratory Coagulation	x		x		
Pregnancy test (only women of childbearing potential)	x				
Randomisation	x				
Treatment data		x		x	
Postoperative data				x	
Blood sample translational Research		x	x	x	
Adverse Events and complications			x		
Concomitant medication			x		
Quality of life (EORTC QLQ-C30, OES18, CIPN20)	x		x	x	x